



HYDROXYCHLOROQUINE

What are the aims of this leaflet?

This leaflet has been written to provide information for patients about hydroxychloroquine. It tells you what it is, how it works, how it is used to treat skin conditions, and where you can find out more about it.

What is hydroxychloroquine and how does it work?

Hydroxychloroquine is one of several antimalarial drugs that have anti-inflammatory effects useful in other diseases. It is licensed in the UK for the treatment of malaria.

Hydroxychloroquine is particularly effective for systemic lupus erythematosus (SLE) and discoid lupus erythematosus (DLE). By reducing inflammation, hydroxychloroquine can decrease pain, swelling and stiffness of joints, and improve or clear some rashes.

Which skin conditions are treated with hydroxychloroquine?

These include:

- Various forms of lupus erythematosus
- Sarcoidosis
- Porphyria cutanea tarda
- Skin disorders caused or aggravated by the sun (photosensitive skin disorders)
- Granuloma annulare
- Lichen planus
- Urticaria vasculitis
- Sarcoidosis

How long will I need to take hydroxychloroquine before I see an effect?

Hydroxychloroquine does not work immediately and it may be 12 weeks or longer before any benefit is noted.

When should I take hydroxychloroquine?

You should take hydroxychloroquine with or immediately after food.

What dose should I take?

Your doctor will advise you about this. Usually you will be started on a full dose (for example, 400 mg daily or 2 tablets of 200mg hydroxychloroquine) and later your doctor may reduce the dose (for example, to 200 mg daily of hydroxychloroquine). Some patients may only need to take hydroxychloroquine two or three times per week when their disease is being well controlled.

What are the possible side effects of hydroxychloroquine?

Side effects are uncommon; however, a few people may develop one of the following: rash, indigestion, diarrhoea, headache, blurred vision, cramps or muscle weakness, darkening of the skin, or bleaching of the hair.

Hydroxychloroquine can aggravate pre-existing psoriasis.

Does hydroxychloroquine affect fertility or pregnancy?

Considering the risks and benefits of taking hydroxychloroquine during pregnancy and breastfeeding, a systematic review and analysis of medical publications did not show any increased risk of death or defects in the fetus, spontaneous abortions, premature labour, or increased risk of stillbirth in patients with autoimmune diseases.

How will I be monitored for the side effects of hydroxychloroquine treatment?

Before starting on hydroxychloroquine your doctor may wish to carry out a blood test to check that your liver and kidneys are working normally. It should not be necessary to carry out regular blood tests.

Your doctor should also enquire about any visual problems you may have and check your vision before starting you on the medication; thereafter your vision should be checked once a year.

Are there any other side effects if hydroxychloroquine is taken for a long time?

Very rarely, high doses of hydroxychloroquine may damage the retina of the eye (the layer of cells in the back of the eye that detects light and allows you to see). This possible damage is prevented by keeping the dose low. While you are taking hydroxychloroquine, annual eye tests are recommended.

May I drink alcohol while taking hydroxychloroquine?

There is no particular reason for you to avoid alcohol while taking hydroxychloroquine, although it is advisable to adopt sensible drinking habits in line with the NHS guidelines.

Can I take other medicines at the same time as hydroxychloroquine?

Most other drugs can be taken safely with hydroxychloroquine. There are important interactions with Amiodarone and Digoxin (taken for heart disease) and with drugs used for epilepsy. However, if you start any new drugs, you should remind the doctor that you are already taking hydroxychloroquine.

Indigestion remedies, including some that are sold over the counter, can stop hydroxychloroquine from being absorbed.

Always discuss other medications with your doctor or pharmacist before taking them.

Where can I find out more about hydroxychloroquine?

If you want to know more about hydroxychloroquine, or if you are worried about your treatment, you should speak to your doctor or pharmacist.

This information sheet does not list all the side effects of hydroxychloroquine. For full details, please look at the drug information sheet enclosed in the hydroxychloroquine package:

<http://www.medicines.org.uk/emc/medicine/6977>

For details of source materials used please contact the BAD Clinical Standards Unit (clinicalstandards@bad.org.uk).

This leaflet aims to provide accurate information about the subject and is a consensus of the views held by representatives of the British

Association of Dermatologists: individual patient circumstances may differ, which might alter both the advice and course of therapy given to you by your doctor.

This leaflet has been assessed for readability by the British Association of Dermatologists' Patient Information Lay Review Panel

**BRITISH ASSOCIATION OF DERMATOLOGISTS
PATIENT INFORMATION LEAFLET
PRODUCED AUGUST 2004
UPDATED FEBRUARY 2010, JANUARY 2013,
APRIL 2016
REVIEW DATE APRIL 2019**

